


EQUIPMENT LIST



DIGITAL PREPRESS

- Macintosh and PC Workstations
- Kodak Prinergy System
- Epson 9890 Color Proofer. SWOP and GRACoL proofs with G7 Verification
- Hewlett Packard DesignJet 1050C
- X-rite 500 Series Spectradensitometer
- Kodak Magnus 800 Platesetter
- Creo Trendsetter Platesetter
- GretagMacbeth SpectroScan Device

CANON IMAGEPRESS C750

- 4 color: CMYK
- Up to 2400 x 2400dpi resolution
- Input Capacity: 6000 sheets
- Paper Size:
 - Minimum - 5.5" x 7.2"
 - Maximum - 13" x 19"
- Paper Weights
 - Minimum 14lb. Bond
 - Maximum 110lb. Cover
- Envelope printing
 - 6" x 9" to 10" x 13"
- Finishing
 - Booklet Maker
 - Two Position Staple


OCE VARIOSTREAM 7650

- Toner (Coated and Uncoated Stocks)
- Black Only
- Roll to Roll Input/Output
 - Maximum Roll Diameter 50"
 - Maximum Roll Weight 1200lbs.
 - Maximum Roll Width 19" with pin feeds
- 600 x 600dpi resolution
- Print Width 17"
- Form Length 3" to 28"
- Paper Weights
 - Minimum 20lb. Bond
 - Maximum 7pt.
 - Heavier weights subject to testing
- Speed
 - Up to 600ppm (2" x 8.5" x 11")

OCE COLORSTREAM 3900Z

- Inkjet (Uncoated Stock Only)
- Black Only
- Roll to Roll Input/Output
 - Maximum Roll Diameter 50"
 - Maximum Roll Weight 1200lbs.
 - Maximum Roll Width 21.25" with pin feeds
- Up to 1200dpi resolution
- Print Width 6.5" to 21.25"
- Form Length 3" to 60"
- Paper Weights
 - Minimum 20lb. Bond
 - Maximum 7pt.
 - Heavier weights subject to testing
- Speed
 - Up to 857ppm (2" x 8.5" x 11")

EQUIPMENT LIST



DIGITAL PRESSES

- Paper Flexibility
Coated, uncoated, textured, specialty stocks
Recycled, perforated, tabs, transparencies, a wide variety of labels, synthetics, DocuCard®, Never Tear, DuraPaper®, UltraMagnet, DocuMagnet™
Mixed-stock jobs supported at rated speed
No drying time


RICOH PRO C9210

- 4 INK STATIONS: C, M, Y, K
- 1200 X 4800dpi resolution
- Paper Size:
Minimum - 3.94" x 5.5"
Maximum - 13" x 27.5"
- Paper Weight
Minimum - 14lb. Bond
Maximum - 130lb. Cover
- Plain Paper, Recycle Paper, Reprinted Paper, letterhead, Pre-Punched Paper, Tab Stock, Glossy/Matte Paper, Translucent Paper, Envelopes, Textured Paper, Colored Paper, Clear Media
- Finishing
- Folder: Double Parallel Fold, Half Fold, Z-Fold, Gate-Fold, Letter Fold-In, Letter Fold-Out

RICOH PRO C7210SX

- The Ricoh 7210SX Color-Logic System is a color communication system for printing onto foil and reflective substrates, when using white ink and CMYK.
- 250 metallic colors and unlimited print embellishments
- Create vivid metallic colors, gradient metallic blends, and decorative print embellishments limited only by your imagination; using White ink plus CMYK (when printing onto metallic or pearlescent substrates).
- The Color-Logic System is ideal for; but not limited to, direct mail, POP, signage, postcards, literature, booklets, labels, calendars and many more! With Color-Logic, your only limitation is your creativity.
- 4/Colors + White and Clear with InLine Booklet Maker
- Four Input feed modules, maximum sheet size 13" x 27.5".
- Uncoated paper: 16lb. bond to 130lb. cover
- Coated paper: 60lb. text to 130lb. Cover
- Maximum Paper Weight 16pt
- Colors: Cyan - Magenta - Yellow - Black - White - Clear Inline Finishing with the Plockmatic 350 Booklet Maker
- Makes professional 140 page saddle-stitch and square fold Booklets at rated engine speed. Supports up to 300 gsm (110 lb. cover) media coated or un-coated for a wide variety of applications. A precision face trimmer module allows customers to trim the shingle effect off the booklet as required for a clean, professional look. Exclusive features like Book fold (Square fold) and Bleed trim capabilities. Inline system is fully integrated with Ricoh 7210 press.

EQUIPMENT LIST



WEB PRESSES

- 504 - 5 Unit Harris Heidelberg M-1000B - 22 3/4" x 38" with combination folder, sheeter, ribbon deck, Vits-America double former pre-folder (press finished 4 and 8 pagers and 6 page gatefolds + 8 page double gatefolds) and Rota-Schneider in-line trimmers, GMI closed loop color control, W.P.C. Machinery 38" In-line Perforation Unit consists of a plate cylinder and blanket cylinder. We image the perforation on a plate and then glue metal litho-perf to it. The webs printed and then passes through the perf unit between the plate and blanket cylinders where the perforations punch through the paper. This unit allows us to add perforations or scores in any direction at full running speed.
- 508 - 6 Unit Harris Heidelberg M-1000BE - 22-3/4" x 38" with combination folder, sheeter, ribbon deck, pre-folder and Rota-Schneider auto-trimmer, GMI closed loop color control


SHEETFED PRESSES

- 404 - 6 Color MAN Roland 706LV 28" x 40" AMS Spectral LED UV Technology Multiple substrate printing applications including; uncoated stocks, vinyl, polystyrene and clings UV Coating capability
- 408 - 8 Color MAN Roland R708PLV 28" x 40" convertible perfecter (4 over 4, or up to 8 colors 1-side) with spot aqueous coating tower, PECOM Network System and auto-plate loader
- 400 - 2 Color Heidelberg Speedmaster 28" x 40" (Perfector)

FINISHING

- (4) Harris/Sheridan Saddle Stitchers – from 6 to 20 pockets plus cover feeder, Videojet or Domino inside/outside Inline Inkjet Printing, OCR-A scannable fonts, Postnet & Planet barcodes, 3 and 5 knife trimmers, Demographic / Selective binding, Inline tabbing and traying, Inline Blow-In Cardfeeders
- (1) Muller Martini Prima Saddle Stitcher – 6 pockets with cover feeder, Videojet inside/outside Inline Inkjet Printing, OCR-A scannable fonts, Postnet & Planet barcodes, 3 and 5 knife trimmers, Demographic / Selective binding, Inline tabbing and traying
- (1) Sitma Polybag Machine - 5 rotary pockets plus 1 shuttle-feed pocket, pre- and post-wrap Videojet Inline Inkjet Printing
- (3) Shrink Wrap lines
- (1) Lawson Inline Drilling System
- BMC and SCF Destination Mailing
- (4) Polar 137 Cutters - one with Transomat off-loader
- (2) Fully Automatic Auto-Cut Systems
- 5) Stahl Folders max 30" x 40" with Inline spot-glue (hot melt) capabilities
- Morgana Digifold - document folding system that can do up to 9 creases and 2 folds. Max/min sheet size 24.8x13"/6.3x5.5". Max/min paper weight 300gsm/120gsm

EQUIPMENT LIST



OFFLINE ADDRESSING AND LABELING

- (2) Videojet PrintPro Inkjet Printers on Paragon Friction-Feed base, Postnet & Planet barcodes
- (2) Labelaire Model 2111 for application of pressure-sensitive stickers

INSERTING

- (2) 10 Station Bell & Howell 6" x 9" Inserters
- (1) 12 Station Bell & Howell 6" x 9" Inserters
- (1) 8 Station Bell & Howell 9" x 12" Master Mailer Inserters
- (1) 13 Station Buhrs - Selectronic - 2 - P Code

LETTERSHOP FOLDING & BURSTING

- (1) Bell & Howell - 2000 Cutter
- (1) Stahl Model T49 Folder, 19" x 25"
- (2-10) Station Inserters
- (1-12) Station Inserter
- (1-8) Station Inserter
- Flowmaster 6 Station Batch counting Friction Feeders 2 Camera 2-D barcode read system
- (4) Bowie Cutters with Inline Folding
- (1) Kirk Rudy Plow Fold/Glue/Inkjet System
- (1) Snap Pack Folder

MISCELLANEOUS

- (1) Kirk Rudy Model 545 Tabber
- (2) Stream feeder Feeding Bases

FULFILLMENT

- (1) Overwrap – Allows polypropylene overwrap protection
- Customized Drop Shipping and Fulfillment Program Capabilities
- 80,000 Square Foot Dedicated Space and Staff
- Pick To Light System
- RFID driven fully automated fulfillment system